

ISO20022 Message Specification

NPA_acmt.022.001.03_IdentificationModificationAdvice

As of Date: 23/06/2023
Author: Pay.UK Standards Authority
Version: V1.1.0

Change History

Revised Version	Release Date	Xpath	Description of Change	Reason for Change
V1.1.0	June'23	Document/IdModAdvc/Assgnmt/MsgId	Updated pattern on Message Id	Consistency Purposes
V1.1.0	June'23	Document/IdModAdvc/OrgnlTxRef/MsgId	Updated pattern on Message Id	Consistency Purposes
V1.1.0	June'23	Document/IdModAdvc/Mod	Updated length and pattern on Member Id	To be able to accommodate the sort code

Contents

Message Overview.....	4
Implementation Guideline.....	6

Message Overview

Index	Item	XML Tag	Mult.	Orig.	Type	Max Length
		<Document>				
	Identification Modification Advice V03	<IdModAdv>	[1..1]	[1..1]	IdentificationModificationAdviceV03	
1.0	Assignment	<Assgmt>	[1..1]	[1..1]	IdentificationAssignment3	
1.1	Message Identification	<Msgld>	[1..1]	[1..1]	Max35Text	35
1.2	Creation Date Time	<CreDtTm>	[1..1]	[1..1]	ISODateTime	
1.3	Assigner	<Assgnr>	[1..1]	[1..1]	Party40Choice	
1.4	Agent	<Agt>	[1..1]	[1..1]	BranchAndFinancialInstitutionIdentification6	
1.5	Financial Institution Identification	<FinInstnId>	[1..1]	[1..1]	FinancialInstitutionIdentification18	
1.6	LEI	<LEI>	[1..1]	[0..1]	LEIIDentifier	
1.7	Assignee	<Assgne>	[1..1]	[1..1]	Party40Choice	
1.8	Agent	<Agt>	[1..1]	[1..1]	BranchAndFinancialInstitutionIdentification6	
1.9	Financial Institution Identification	<FinInstnId>	[1..1]	[1..1]	FinancialInstitutionIdentification18	
1.10	Clearing System Member Identification	<ClrSysMmbld>	[0..1]	[0..1]	ClearingSystemMemberIdentification2	
1.11	Clearing System Identification	<ClrSysId>	[0..1]	[0..1]	ClearingSystemIdentification2Choice	
1.12	Code	<Cd>	[1..1]	[1..1]	ExternalClearingSystemIdentification1Code	5
1.13	Member Identification	<Mmbld>	[1..1]	[1..1]	Max35Text	35
1.14	LEI	<LEI>	[1..1]	[0..1]	LEIIDentifier	
2.0	Original Transaction Reference	<OrgnlTxRef>	[1..1]	[0..1]	OriginalTransactionReference30	
2.1	Message Identification	<Msgld>	[1..1]	[0..1]	Max35Text	35
2.2	Message Name Identification	<MsgNmld>	[1..1]	[0..1]	Max35Text	35
2.3	Original Transaction	<OrgnlTx>	[1..n]	[0..n]	PaymentIdentification5	
2.4	Instruction Identification	<InstrId>	[0..1]	[0..1]	Max35Text	35
2.5	End To End Identification	<EndToEndId>	[1..1]	[1..1]	Max35Text	35
2.6	Transaction Identification	<TxId>	[0..1]	[0..1]	Max35Text	35
2.7	UETR	<UETR>	[1..1]	[0..1]	UIDv4Identifier	
3.0	Modification	<Mod>	[1..n]	[1..n]	IdentificationModification4	
3.1	Identification	<Id>	[1..1]	[1..1]	Max35Text	35
3.2	Original Party And Account Identification	<OrgnlPtyAndAcctId>	[1..1]	[0..1]	IdentificationInformation4	
3.3	Account	<Acct>	[1..1]	[0..1]	CashAccount40	
3.4	Identification	<Id>	[1..1]	[0..1]	AccountIdentification4Choice	
3.5	Other	<Othr>	[1..1]	[1..1]	GenericAccountIdentification1	
3.6	Identification	<Id>	[1..1]	[1..1]	Max34Text	34
3.7	Agent	<Agt>	[1..1]	[0..1]	BranchAndFinancialInstitutionIdentification6	
3.8	Financial Institution Identification	<FinInstnId>	[1..1]	[1..1]	FinancialInstitutionIdentification18	
3.9	Clearing System Member Identification	<ClrSysMmbld>	[1..1]	[0..1]	ClearingSystemMemberIdentification2	
3.10	Clearing System Identification	<ClrSysId>	[1..1]	[0..1]	ClearingSystemIdentification2Choice	
3.11	Code	<Cd>	[1..1]	[1..1]	ExternalClearingSystemIdentification1Code	5
3.12	Member Identification	<Mmbld>	[1..1]	[1..1]	Max35Text	6
3.13	Updated Party And Account Identification	<UpdtdPtyAndAcctId>	[1..1]	[1..1]	IdentificationInformation4	
3.14	Account	<Acct>	[1..1]	[0..1]	CashAccount40	
3.15	Identification	<Id>	[1..1]	[0..1]	AccountIdentification4Choice	
3.16	Other	<Othr>	[1..1]	[1..1]	GenericAccountIdentification1	
3.17	Identification	<Id>	[1..1]	[1..1]	Max34Text	34
3.18	Agent	<Agt>	[1..1]	[0..1]	BranchAndFinancialInstitutionIdentification6	
3.19	Financial Institution Identification	<FinInstnId>	[1..1]	[1..1]	FinancialInstitutionIdentification18	
3.20	Clearing System Member Identification	<ClrSysMmbld>	[1..1]	[0..1]	ClearingSystemMemberIdentification2	
3.21	Clearing System Identification	<ClrSysId>	[1..1]	[0..1]	ClearingSystemIdentification2Choice	
3.22	Code	<Cd>	[1..1]	[1..1]	ExternalClearingSystemIdentification1Code	5

NPA_acmt.022.001.03_IdentificationModificationAdvice

Index	Item	XML Tag	Mult.	Orig.	Type	Max Length
3.23	└ Member Identification	<Mmbld>	[1..1]	[1..1]	Max35Text	6

Index	Mult	Element/Attribute	Guideline value(s)
		Document	ISO Type XML Tag Document <Document>
	[1..1]	Document +Identification Modification Advice V03	ISO Definition Scope The IdentificationModificationAdvice message is sent by an assigner to an assignee. The message is used to advice on the correct party and/or account identification information. Usage The IdentificationModificationAdvice message is sent after the receipt of one or several transaction messages that included no longer valid party and/or account identification information. The IdentificationModificationAdvice message is exchanged between financial institutions and between financial institutions and non financial institutions and can contain one or more modification advises. There is no time limit on the time between the sending of an IdentificationModificationAdvice message and the receipt of the transaction messages that the IdentificationModificationAdvice refers to. The IdentificationModificationAdvice includes the correct party and/or account identification information, the IdentificationModificationAdvice or the included information may be forwarded to the initiating party of the transaction messages. Identification Modification Advice V03 IdentificationModificationAdviceV03 <IdModAdvc>
1.0	[1..1]	Document +Identification Modification Advice V03 ++Assignment	ISO Definition ISO Name ISO Type XML Tag Identifies the identification assignment. Assignment IdentificationAssignment3 <Assgnmt>
1.1	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Message Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Rule(s) Message Identification Point to point reference, as assigned by the assigner, and sent to the next party in the chain to unambiguously identify the message. Usage: The assigner has to make sure that MessageIdentification is unique per assignee for a pre-agreed period. Max35Text <MsgId> 1 .. 35 (M)[0-9]{8}[A-Za-z0-9]{12}(S M F)[A-Za-z0-9]{13} The Message Identifier must be in the following format: MYYYMMDDDEEEEEEEEEEEEEESNNNNNNNNNNNNNN Pos. 01-01 – Prefix "M" Pos. 02-09 – ID Creation Date Pos. 10-21 – Entity Identifier (Characters 07-18 of Sending LEI) Pos. 22-22 – Submission Type (S-Single/M-Multi/F-File) Pos. 23-35 – Unique string

Index	Mult	Element/Attribute	Guideline value(s)	
1.2	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Creation Date Time	ISO Name ISO Definition ISO Type XML Tag Pattern Pay.UK Comments	Creation Date Time Date and time at which the identification assignment was created. ISODateTime <CreDtTm> .*(\+ -)((0[0-9])(1[0-3])):[0-5][0-9]+ Coordinated Universal Time (UTC) with time offset.
1.3	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assigner	ISO Definition ISO Name ISO Type XML Tag Pay.UK Comments	Party that assigns the identification assignment to another party. This is also the sender of the message. Assigner Party40Choice <Assgnr> Assigner of the message, this will only ever be the NPA.
1.4	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assigner ++++Agent	ISO Definition ISO Name ISO Type XML Tag	Identification of a financial institution. Agent BranchAndFinancialInstitutionIdentification6 <Agt>
1.5	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assigner ++++Agent +++++Financial Institution Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme. Financial Institution Identification FinancialInstitutionIdentification18 <FinInstnId>
1.6	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assigner ++++Agent +++++Financial Institution Identification +++++LEI	ISO Name ISO Definition ISO Type XML Tag Pattern Pay.UK Comments	LEI Legal entity identifier of the financial institution. LEIIdentifier <LEI> [A-Z0-9]{18,18}[0-9]{2,2} This must always contain the NPA's LEI.
1.7	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee	ISO Definition ISO Name ISO Type XML Tag Pay.UK Comments	Party that the identification assignment is assigned to. This is also the receiver of the message. Assignee Party40Choice <Assgne> Assignee of the message, this will be the Clearing Participant that sent the original payment which contained out of date Creditor Account information.
1.8	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent	ISO Definition ISO Name ISO Type XML Tag	Identification of a financial institution. Agent BranchAndFinancialInstitutionIdentification6 <Agt>

Index	Mult	Element/Attribute	Guideline value(s)	
1.9	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme. Financial Institution Identification FinancialInstitutionIdentification18 <FinInstnId>
1.10	[0..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification +++++Clearing System Member Identification	ISO Definition ISO Name ISO Type XML Tag	Information used to identify a member within a clearing system. Clearing System Member Identification ClearingSystemMemberIdentification2 <ClrSysMmbld>
1.11	[0..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Clearing System Identification	ISO Definition ISO Name ISO Type XML Tag	Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed. Clearing System Identification ClearingSystemIdentification2Choice <ClrSysId>
1.12	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Clearing System Identification +++++Code	ISO Name ISO Definition ISO Type XML Tag Length Codes GBDSC	Code Identification of a clearing system, in a coded form as published in an external list. ExternalClearingSystemIdentification1Code <Cd> 1 .. 5
1.13	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification +++++Clearing System Member Identification +++++Member Identification	ISO Name ISO Definition ISO Type XML Tag Length	UKDomesticSortCode Member Identification Identification of a member of a clearing system. Max35Text <Mmbld> 1 .. 35
1.14	[1..1]	Document +Identification Modification Advice V03 ++Assignment +++Assignee ++++Agent +++++Financial Institution Identification +++++LEI	ISO Name ISO Definition ISO Type XML Tag Pattern Pay.UK Comments	LEI Legal entity identifier of the financial institution. LEIIdentifier <LEI> [A-Z0-9]{18,18}[0-9]{2,2} Contains the LEI of the Instructing Agent of the Payment Instruction being redirected.

Index	Mult	Element/Attribute	Guideline value(s)
2.0	[1..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference	<p>ISO Definition ISO Name ISO Type XML Tag</p> <p>Provides reference information on the original message. Original Transaction Reference OriginalTransactionReference30 <OrgnlTxRef></p>
2.1	[1..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Message Identification	<p>ISO Name ISO Definition</p> <p>Message Identification Point to point reference, as assigned by the original instructing party, to unambiguously identify the original message. Max35Text <MsgId> 1 .. 35 (M)[0-9]{8}[A-Za-z0-9]{12}(S M F)[A-Za-z0-9]{13}</p> <p>ISO Type XML Tag Length Pattern</p> <p>Pay.UK Comments Carries the Message ID of the message which contained the transaction that was redirected.</p>
2.2	[1..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Message Name Identification	<p>ISO Name ISO Definition</p> <p>Message Name Identification Specifies the original message name identifier to which the message refers. Max35Text <MsgNmId> 1 .. 35</p> <p>ISO Type XML Tag Length</p> <p>Pay.UK Comments Carries the ISO 20022 Message Name Identifier of the message which contained the transaction with was redirected ("pacs.008.001.09").</p> <p>Codes pacs.008.001.09 pacs.008</p>
2.3	[1..n]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Original Transaction	<p>ISO Definition ISO Name ISO Type XML Tag</p> <p>Provides reference information to the original transaction. Original Transaction PaymentIdentification5 <OrgnlTx></p>
2.4	[0..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Original Transaction ++++Instruction Identification	<p>ISO Name ISO Definition</p> <p>Instruction Identification Unique identification, as assigned by an instructing party for an instructed party, to unambiguously identify the instruction.</p> <p>Usage: The instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.</p> <p>ISO Type XML Tag Length Pattern</p> <p>Max35Text <InstrId> 1 .. 35 ([0-9a-zA-Z\-\?:\(\)\.,\'+]*([0-9a-zA-Z\-\?:\(\)\.,\'+]*/[0-9a-zA-Z\-\?:\(\)\.,\'+])?*)</p> <p>Pay.UK Comments If provided in the original message this will be present.</p>

Index	Mult	Element/Attribute	Guideline value(s)	
2.5	[1..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Original Transaction ++++End To End Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Comments	End To End Identification Unique identification, as assigned by the initiating party, to unambiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain. Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction. Usage: In case there are technical limitations to pass on multiple references, the end-to-end identification must be passed on throughout the entire end-to-end chain. Max35Text <EndToEndId> 1 .. 35 ([0-9a-zA-Z\-\?\:\(\)\.,\'+]([0-9a-zA-Z\-\?\:\(\)\.,\'+])*([0-9a-zA-Z\-\?\:\(\)\.,\'+])?)* End To End Identification provided in the original transaction which was redirected.
2.6	[0..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Original Transaction ++++Transaction Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Comments	Transaction Identification Unique identification, as assigned by the first instructing agent, to unambiguously identify the transaction that is passed on, unchanged, throughout the entire interbank chain. Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level. Usage: The instructing agent has to make sure that the transaction identification is unique for a pre-agreed period. Max35Text <TxId> 1 .. 35 ([0-9a-zA-Z\-\?\:\(\)\.,\'+]([0-9a-zA-Z\-\?\:\(\)\.,\'+])*([0-9a-zA-Z\-\?\:\(\)\.,\'+])?)* If provided in the original message this will be present.
2.7	[1..1]	Document +Identification Modification Advice V03 ++Original Transaction Reference +++Original Transaction ++++UETR	ISO Name ISO Definition ISO Type XML Tag Pattern Pay.UK Comments	UETR Universally unique identifier to provide an end-to-end reference of a payment transaction. UUIDv4Identifier <UETR> [a-f0-9]{8}-[a-f0-9]{4}-4[a-f0-9]{3}-[89ab][a-f0-9]{3}-[a-f0-9]{12} UETR provided in the original transaction which was redirected.
3.0	[1..n]	Document +Identification Modification Advice V03 ++Modification	ISO Definition ISO Name ISO Type XML Tag Pay.UK Comments	Information concerning the identification data that is advised to be modified. Modification IdentificationModification4 <Mod> Details of the Original Creditor Account information and the Updated Creditor Account Information which was redirected in the original payment message.

Index	Mult	Element/Attribute	Guideline value(s)	
3.1	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Comments	Identification Unique identification, as assigned by a sending party, to unambiguously identify the party and account identification information group within the message. Max35Text <Id> 1 .. 35 (M)[0-9]{8}[A-Za-z0-9]{12}(S M F)[A-Za-z0-9]{13} Will include the same value as the Message Identification.
3.2	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification	ISO Definition ISO Name ISO Type XML Tag	Provides party and/or account identification information as given in the original message. Original Party And Account Identification IdentificationInformation4 <OrgnIPtyAndAcctId>
3.3	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Account	ISO Definition ISO Name ISO Type XML Tag	Unambiguous identification of the account of a party. Account CashAccount40 <Acct>
3.4	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Account +++++Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification for the account between the account owner and the account servicer. Identification AccountIdentification4Choice <Id>
3.5	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Account +++++Identification +++++Other	ISO Definition ISO Name ISO Type XML Tag	Unique identification of an account, as assigned by the account servicer, using an identification scheme. Other GenericAccountIdentification1 <Othr>
3.6	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Account +++++Identification +++++Other +++++Identification	ISO Name ISO Definition ISO Type XML Tag Length Pay.UK Comments	Identification Identification assigned by an institution. Max34Text <Id> 1 .. 34 Original Account Number of the Creditor.
3.7	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent	ISO Definition ISO Name ISO Type XML Tag	Financial institution servicing an account for a party. Agent BranchAndFinancialInstitutionIdentification6 <Agt>

Index	Mult	Element/Attribute	Guideline value(s)	
3.8	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent +++++Financial Institution Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme. Financial Institution Identification FinancialInstitutionIdentification18 <FinInstId>
3.9	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification	ISO Definition ISO Name ISO Type XML Tag	Information used to identify a member within a clearing system. Clearing System Member Identification ClearingSystemMemberIdentification2 <ClrSysMmblId>
3.10	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Clearing System Identification	ISO Definition ISO Name ISO Type XML Tag	Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed. Clearing System Identification ClearingSystemIdentification2Choice <ClrSysId>
3.11	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Clearing System Identification +++++++Code	ISO Name ISO Definition ISO Type XML Tag Length	Code Identification of a clearing system, in a coded form as published in an external list. ExternalClearingSystemIdentification1Code <Cd> 1 .. 5
			Codes GBDSC	UKDomesticSortCode
3.12	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Original Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Member Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Comments	Member Identification Identification of a member of a clearing system. Max35Text <MmblId> 6 .. 6 [0-9]* Original Sort Code of the Creditor Agent.
3.13	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification	ISO Definition ISO Name ISO Type XML Tag	Provides updated party and/or account identification information. Updated Party And Account Identification IdentificationInformation4 <UpdtdPtyAndAcctId>

Index	Mult	Element/Attribute	Guideline value(s)	
3.14	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Account	ISO Definition ISO Name ISO Type XML Tag	Unambiguous identification of the account of a party. Account CashAccount40 <Acct>
3.15	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Account +++++Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification for the account between the account owner and the account servicer. Identification AccountIdentification4Choice <Id>
3.16	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Account +++++Identification +++++Other	ISO Definition ISO Name ISO Type XML Tag	Unique identification of an account, as assigned by the account servicer, using an identification scheme. Other GenericAccountIdentification1 <Othr>
3.17	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Account +++++Identification +++++Other +++++Identification	ISO Name ISO Definition ISO Type XML Tag Length Pay.UK Comments	Identification Identification assigned by an institution. Max34Text <Id> 1 .. 34 Updated Account Number of the Creditor.
3.18	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent	ISO Definition ISO Name ISO Type XML Tag	Financial institution servicing an account for a party. Agent BranchAndFinancialInstitutionIdentification6 <Agt>
3.19	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent +++++Financial Institution Identification	ISO Definition ISO Name ISO Type XML Tag	Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme. Financial Institution Identification FinancialInstitutionIdentification18 <FinInstnId>
3.20	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent +++++Financial Institution Identification +++++Clearing System Member Identification	ISO Definition ISO Name ISO Type XML Tag	Information used to identify a member within a clearing system. Clearing System Member Identification ClearingSystemMemberIdentification2 <ClrSysMmbld>

Index	Mult	Element/Attribute	Guideline value(s)	
3.21	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Clearing System Identification	ISO Definition ISO Name ISO Type XML Tag	Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed. Clearing System Identification ClearingSystemIdentification2Choice <ClrSysId>
3.22	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Clearing System Identification +++++++Code	ISO Name ISO Definition ISO Type XML Tag Length	Code Identification of a clearing system, in a coded form as published in an external list. ExternalClearingSystemIdentification1Code <Cd> 1 .. 5
			Codes GBDSC	UKDomesticSortCode
3.23	[1..1]	Document +Identification Modification Advice V03 ++Modification +++Updated Party And Account Identification ++++Agent +++++Financial Institution Identification ++++++Clearing System Member Identification +++++++Member Identification	ISO Name ISO Definition ISO Type XML Tag Length Pattern Pay.UK Comments	Member Identification Identification of a member of a clearing system. Max35Text <Mmbld> 6 .. 6 [0-9]* Updated Sort Code of the Creditor Agent.